


# Uni-Gard™ Technical Data Sheet

## UG520

Revision: UG520-07252013

<b>Product</b>	UG520																				
<b>Scope</b>	One piece foam backed induction liner that features a clean peelable tamper evident seal. Designed for use on PE and PP.																				
<b>Composition</b>	<table border="1"> <thead> <tr> <th>Material</th> <th>Standard</th> <th>Metric</th> </tr> </thead> <tbody> <tr> <td>PET Film</td> <td>0.00047"</td> <td>0.012mm</td> </tr> <tr> <td>Polyolefin Foam</td> <td>0.0045"</td> <td>0.114mm</td> </tr> <tr> <td>Foil</td> <td>0.00079"</td> <td>0.020mm</td> </tr> <tr> <td>PET Film</td> <td>0.00047"</td> <td>0.012mm</td> </tr> <tr> <td>Heat Seal</td> <td>0.0024"</td> <td>0.060mm</td> </tr> </tbody> </table>	Material	Standard	Metric	PET Film	0.00047"	0.012mm	Polyolefin Foam	0.0045"	0.114mm	Foil	0.00079"	0.020mm	PET Film	0.00047"	0.012mm	Heat Seal	0.0024"	0.060mm		
Material	Standard	Metric																			
PET Film	0.00047"	0.012mm																			
Polyolefin Foam	0.0045"	0.114mm																			
Foil	0.00079"	0.020mm																			
PET Film	0.00047"	0.012mm																			
Heat Seal	0.0024"	0.060mm																			
Composition does not include adhesive or resin bonding layers (if any).																					
<b>FDA Status:</b> 21 CFR 177.1210	<b>Recommended Storage and Handling:</b> Refer to website																				
<b>Drug Master File (DMF):</b>	<b>EU / EP Reg.:</b> 1935/2004/EC, 10/2011/EC, 2023/2006/EC																				
<b>GTR Oxygen:</b> Essentially zero	<b>MVTR:</b> Essentially zero																				
<b>Print Location (if any):</b>																					

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

[www.seligsealing.com](http://www.seligsealing.com)

Corporate Headquarters  
Selig Sealing Products, Inc.  
342 E Wabash St  
Forrest, IL 61741, USA  
Phone: +1 (815) 785-2100  
Fax: +1 (815) 657-7584

North American Sales  
Selig Sealing Products, Inc.  
184 Shuman Blvd., Suite 310  
Naperville, IL 60563, USA  
Phone: +1 (630) 922-3158  
Fax: +1 (630) 922-8469

European Sales and Manufacturing  
Selig UK, LTD 635-637 Ajax Avenue  
Slough Trading Estate  
Slough Berkshire SL14BH UK  
Phone: +44 (0) 1753 773 000  
Fax: +44 (0) 1753 773 111

Canadian Manufacturing  
Selig Canada, ULC  
145 Edward Street  
Aurora, Ontario Canada, L4G 1W3  
Phone: +1 (905) 727-0114  
Fax: +1 (905) 727-8544

Swiss Manufacturing  
Selig Switzerland LTD  
Bahnhofstrasse 11  
CH-8172 Niederglatt  
Phone: +41 (0) 44 851 50 50  
Fax: +41 (0) 44 851 50 51